

Manufacturer/Supplier: Vandex Isoliermittel-Gesellschaft mbH D-21493 Schwarzenbek  
Product number: 89  
Trade name: VANDEX CEMLINE TOP GREY  
Printing date: 01.03.2000

Reviewed on: 01.03.2000

Page: 001/004

## 01. Identification of substance, preparation and company

### Trade name

VANDEX CEMLINE TOP GREY

### Manufacturer/Supplier

Vandex Isoliermittel-Gesellschaft m.b.H.

### Street/P.O. Box

Industriestrasse 19 - 23

### Country Code/Postal Code/Town/City

D-21493 Schwarzenbek

### Telephone/Telefax

Phone: +49 4151 89 15-0

Fax: +49 4151 89 15 50

### Emergency Information

Phone: +49 4151 89 15 31 (Laboratory, Vandex Isoliermittel GmbH, Germany)

Phone: +41 33 227 44 44 (Mrs. Ch. Pridal, Vandex International Ltd, Switzerland)

from 1.7.2000: +41 32 626 36 36

## 02. Composition/Information on components

### Chemical characterization

Cement preparation

### Hazardous components

Cement

Concentration: 35 – 40%

Symbol: Xi

CAS number: 65997-15-1

R: 36/38-43

## 03. Hazards identification

### Hazard designation

Xi irritant

### Particular information pertaining specific risk for human an environment

R 36/38 Irritating to eyes and skin.

R 43 May cause sensitization by skin contact.

## 04. First aid measures

### Inhalation

Take casualties away from dust polluted areas. In case of irritation of the air passages seek medical advice.

### Skin contact

After contact with skin wash immediately with plenty of water. If irritation persists seek medical advice.

### Eye contact

In case of contact with the eyes rinse immediately with plenty of water (eye lid wide open) for at least 10 minutes and seek medical advice.

### Ingestion

Drink plenty of water. Seek medical advice.

## 05. Fire-fighting measures

Product is not combustible. In contact with extinguishing water an alkaline solution - which can cause irritation - is produced.

### Extinguishing media - suitable

Not applicable.

### Special risk posed by the substance or by the actual preparation, its combustion products or gases discharged

Not applicable.

### Protective equipment

Not applicable.

Manufacturer/Supplier: Vandex Isoliermittel-Gesellschaft mbH D-21493 Schwarzenbek  
Product number: 89  
Trade name: VANDEX CEMLINE TOP GREY  
Printing date: 01.03.2000

Reviewed on: 01.03.2000

Page: 002/004

## 06. Accidental release measures

### Personal precautions

Avoid contact with skin and eyes.

### Environmental precautions

Avoid uncontrolled contact with water. Avoid uncontrolled discharge into environment after contact with water. Do not allow to enter into ground water or drains after contact with water.

### Methods for cleaning up/collecting

Clean up dry. Avoid dust formation.

## 07. Handling and storage

### Information for safe handling

Store protected from humidity.

Keep out of the reach of children.

Avoid contact with skin and eyes.

Avoid dust formation and dust deposit.

### Information about protection against explosions and fires

Not applicable.

### Requirements to be met by storerooms and containers

Store protected from humidity in original packaging.

### Information about separation of incompatible products

Not applicable.

## 08. Exposure controls and personal protection

### Additional information about engineering measures

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If this is not sufficient to maintain concentrations of particulates below the OEL, suitable respiratory protection must be worn. Avoid dust formation.

### Components with critical values that require monitoring at the workplace (exposure limits)

#### GENERAL THRESHOLD LIMIT VALUE (Great Britain)

Specification:	Total inhalable dust	Respirable dust
Value:	10 mg/m <sup>3</sup>	4 mg/m <sup>3</sup>
Valid as per (mm/yy)	1999	1999

### Personal protective equipment

#### General protective and hygiene measures

Do not eat or drink during work – no smoking. Wash hands before breaks and after work. Apply a fatty skin protection cream before work and after each break. Use skin protection products after work.

#### Respiratory equipment

In case of dust formation wear suitable dust mask with P2 particle filter.

#### Skin protection

Use suitable protective gloves.

#### Eye protection

Use tightly fitting safety glasses.

## 09. Physical and chemical properties

### Image

Form: powder

Colour: grey

Odour: odourless

### Relevant safety data

#### Change in condition

Boiling point: not applicable

Flashpoint: not applicable

Ignition temperature: not applicable

Manufacturer/Supplier: Vandex Isoliermittel-Gesellschaft mbH D-21493 Schwarzenbek  
Product number: 89  
Trade name: VANDEX CEMLINE TOP GREY  
Printing date: 01.03.2000

Reviewed on: 01.03.2000

Page: 003/004

Explosive limits:  
Lower/Upper: not applicable  
Vapor pressure: not applicable  
Bulk density: approx. 1.30 kg/l  
Solubility in water: (20°C) up to 1.5 g/l  
pH-value: 11 – 13.5

## 10. Stability and reactivity

### Conditions to avoid

Avoid contact with humidity.

### Materials to avoid

Not applicable.

### Dangerous decomposition products

Not applicable.

## 11. Toxicological information

### Acute toxicity

There is not data available on the preparation itself.

## 12. Ecological information

Eco-toxicological effect: Only possible in case of unintended release of big quantities in contact with water due to increased pH value.

## 13. Disposal considerations

### Product/Preparation

#### Recommendation

Clean up dry, not contaminated material can be re-used. Hardens after contact with water, hardened material can be disposed of as *construction and demolition waste - concrete* (EWC-Code 170101). The listed waste number according to the European Waste Code (EWC) is a recommendation. The final classification has to be done together with the local waste disposal company / authority.

### Contaminated packaging

#### Recommendation

Contaminated packaging must be emptied of all residues and following appropriate cleaning can be recycled. Uncleaned packaging must be disposed of in accordance with official local regulations (EWC-Code 150105 composite packaging (Paper/PE-foil)).

## 14. Transport information

Not a dangerous good according to the transport regulations.

Manufacturer/Supplier: Vandex Isoliermittel-Gesellschaft mbH D-21493 Schwarzenbek  
Product number: 89  
Trade name: VANDEX CEMLINE TOP GREY  
Printing date: 01.03.2000

Reviewed on: 01.03.2000

Page: 004/004

---

15. Regulatory information

Classification according to EEC directives

Danger symbol and danger designation

Xi irritant

Hazard-determining components of labelling

Cement

Risk-phrases

R 36/38 Irritating to eyes and skin.

R 43 May cause sensitization by skin contact.

Safety-phrases

S 2 Keep out of the reach of children.

S 24/25 Avoid contact with skin and eyes.

S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S 37 Wear suitable gloves.

National Regulations

16. Other information

Department issuing data specification sheet:

Technical Department

Contact

Mr. Schenk (Vandex Isoliermittel GmbH, Germany), phone 04151/89 15-0

Ms. Pridal (Vandex International AG, Switzerland), phone 033 227 44 44; from 1.7.2000: 032 626 36 36

---

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

---

Manufacturer/Supplier: Vandex Isoliermittel-Gesellschaft mbH D-21493 Schwarzenbek  
Product number: 94  
Trade name: VANDEX CEMLINE TOP WHITE  
Printing date: 01.03.2000

Reviewed on: 01.03.2000

Page: 001/004

## 01. Identification of substance, preparation and company

### Trade name

VANDEX CEMLINE TOP WHITE

### Manufacturer/Supplier

Vandex Isoliermittel-Gesellschaft m.b.H.

### Street/P.O. Box

Industriestrasse 19 - 23

### Country Code/Postal Code/Town/City

D-21493 Schwarzenbek

### Telephone/Telefax

Phone: +49 4151 89 15-0

Fax: +49 4151 89 15 50

### Emergency Information

Phone: +49 4151 89 15 31 (Laboratory, Vandex Isoliermittel GmbH, Germany)

Phone: +41 33 227 44 44 (Mrs. Ch. Pridal, Vandex International Ltd, Switzerland)

from 1.7.2000: +41 32 626 36 36

## 02. Composition/Information on components

### Chemical characterization

Cement preparation

### Hazardous components

Cement

Concentration: 35 – 40%

Symbol: Xi

CAS number: 65997-15-1

R: 36/38

## 03. Hazards identification

### Hazard designation

Xi irritant

### Particular information pertaining specific risk for human an environment

R 36/38 Irritating to eyes and skin.

## 04. First aid measures

### Inhalation

Take casualties away from dust polluted areas. In case of irritation of the air passages seek medical advice.

### Skin contact

After contact with skin wash immediately with plenty of water. If irritation persists seek medical advice.

### Eye contact

In case of contact with the eyes rinse immediately with plenty of water (eye lid wide open) for at least 10 minutes and seek medical advice.

### Ingestion

Drink plenty of water. Seek medical advice.

## 05. Fire-fighting measures

Product is not combustible. In contact with extinguishing water an alkaline solution - which can cause irritation - is produced.

### Extinguishing media - suitable

Not applicable.

### Special risk posed by the substance or by the actual preparation, its combustion products or gases discharged

Not applicable.

### Protective equipment

Not applicable.

Manufacturer/Supplier: Vandex Isoliermittel-Gesellschaft mbH D-21493 Schwarzenbek  
Product number: 94  
Trade name: VANDEX CEMLINE TOP WHITE  
Printing date: 01.03.2000

Reviewed on: 01.03.2000

Page: 002/004

## 06. Accidental release measures

### Personal precautions

Avoid contact with skin and eyes.

### Environmental precautions

Avoid uncontrolled contact with water. Avoid uncontrolled discharge into environment after contact with water. Do not allow to enter into ground water or drains after contact with water.

### Methods for cleaning up/collecting

Clean up dry. Avoid dust formation.

## 07. Handling and storage

### Information for safe handling

Store protected from humidity.

Keep out of the reach of children.

Avoid contact with skin and eyes.

Avoid dust formation and dust deposit.

### Information about protection against explosions and fires

Not applicable.

### Requirements to be met by storerooms and containers

Store protected from humidity in original packaging.

### Information about separation of incompatible products

Not applicable.

## 08. Exposure controls and personal protection

### Additional information about engineering measures

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If this is not sufficient to maintain concentrations of particulates below the OEL, suitable respiratory protection must be worn. Avoid dust formation.

### Components with critical values that require monitoring at the workplace (exposure limits)

#### GENERAL THRESHOLD LIMIT VALUE (Great Britain)

Specification:	Total inhalable dust	Respirable dust
Value:	10 mg/m <sup>3</sup>	4 mg/m <sup>3</sup>
Valid as per (mm/yy)	1999	1999

### Personal protective equipment

#### General protective and hygiene measures

Do not eat or drink during work – no smoking. Wash hands before breaks and after work. Apply a fatty skin protection cream before work and after each break. Use skin protection products after work.

#### Respiratory equipment

In case of dust formation wear suitable dust mask with P2 particle filter.

#### Skin protection

Use suitable protective gloves.

#### Eye protection

Use tightly fitting safety glasses.

## 09. Physical and chemical properties

### Image

Form: powder

Colour: white

Odour: odourless

### Relevant safety data

#### Change in condition

Boiling point: not applicable

Flashpoint: not applicable

Ignition temperature: not applicable

Manufacturer/Supplier: Vandex Isoliermittel-Gesellschaft mbH D-21493 Schwarzenbek  
Product number: 94  
Trade name: VANDEX CEMLINE TOP WHITE  
Printing date: 01.03.2000

Reviewed on: 01.03.2000

Page: 003/004

Explosive limits:  
Lower/Upper: not applicable  
Vapor pressure: not applicable  
Bulk density: approx. 1.30 kg/l  
Solubility in water: (20°C) up to 1.5 g/l  
pH-value: 11 – 13.5

## 10. Stability and reactivity

### Conditions to avoid

Avoid contact with humidity.

### Materials to avoid

Not applicable.

### Dangerous decomposition products

Not applicable.

## 11. Toxicological information

### Acute toxicity

There is not data available on the preparation itself.

## 12. Ecological information

Eco-toxicological effect: Only possible in case of unintended release of big quantities in contact with water due to increased pH value.

## 13. Disposal considerations

### Product/Preparation

#### Recommendation

Clean up dry, not contaminated material can be re-used. Hardens after contact with water, hardened material can be disposed of as *construction and demolition waste - concrete* (EWC-Code 170101). The listed waste number according to the European Waste Code (EWC) is a recommendation. The final classification has to be done together with the local waste disposal company / authority.

### Contaminated packaging

#### Recommendation

Contaminated packaging must be emptied of all residues and following appropriate cleaning can be recycled. Uncleaned packaging must be disposed of in accordance with official local regulations (EWC-Code 150105 composite packaging (Paper/PE-foil)).

## 14. Transport information

Not a dangerous good according to the transport regulations.

Manufacturer/Supplier: Vandex Isoliermittel-Gesellschaft mbH D-21493 Schwarzenbek  
Product number: 94  
Trade name: VANDEX CEMLINE TOP WHITE  
Printing date: 01.03.2000

Reviewed on: 01.03.2000

Page: 004/004

---

15. Regulatory information

Classification according to EEC directives

Danger symbol and danger designation

Xi irritant

Hazard-determining components of labelling

Cement

Risk-phrases

R 36/38 Irritating to eyes and skin.

Safety-phrases

S 2 Keep out of the reach of children.

S 24/25 Avoid contact with skin and eyes.

S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S 37 Wear suitable gloves.

National Regulations

16. Other information

Department issuing data specification sheet:

Technical Department

Contact

Mr. Schenk (Vandex Isoliermittel GmbH, Germany), phone 04151/89 15-0

Ms. Pridal (Vandex International AG, Switzerland), phone 033 227 44 44; from 1.7.2000: 032 626 36 36

---

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

---